

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3640	- Lighted Buoy 14	44 36 23 N 68 50 39 W	F I R 4s		4	Red.	Replaced by LIB from Dec. 1 to Apr. 1.
		*					46/01
3665	- Buoy 22					Red nun.	Replaced by nun when endangered by ice from Dec. 1 to Apr. 1
	*						* 46/01
3670	- Buoy 24					Red nun.	Replaced by nun when endangered by ice from Dec. 1 to Apr. 1
							* 46/01
3675	- Buoy 26					Red nun.	Replaced by nun when endangered by ice from Dec. 1 to Apr. 1
							* 46/01
3680	- Buoy 28	44 45 18 N 68 48 48 W				Red nun.	Replaced by nun when endangered by ice from Dec. 1 to Apr. 1.
							* 46/01
3690	Crosby Ledge Buoy 4 East of 3 foot shoal	44 02 18 N 68 47 00 W				Red nun.	
	*						46/01
From Westward							
3745	James and Willies Ledge Buoy 1	44 01 04 N 68 52 44 W				Green can.	
		*					46/01
3995	- Buoy 27 North of 14-foot spot.	44 05 18 N 68 56 54 W				Green can.	
	*						46/01
4005	McIntosh Ledge Buoy 1	44 09 21 N 68 57 40 W				Green can.	
		*					46/01
4015	Mouse Island Ledge Buoy 5	44 12 15 N 68 56 21 W				Green can.	
		*					46/01
4260	Brewster Point Ledge Buoy 1	44 07 51 N 69 04 09 W				Green can.	
		*					46/01
West Penobscot Bay							
4355	Dillingham Ledge Buoy 1 East of Ledge					Green can.	
	*						46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4360	<i>Ensign Island Lighted Bell Buoy 1</i>	44 13 32 N 68 57 49 W	FI G 4s		4	Green.	
		*					46/01
	West Penobscot Bay						
4452	<i>Moose Point Isolated Danger Lighted Buoy DMP</i>	44 24 51 N 68 55 04 W	FI (2) W 5s			Black over red with (2) black spherical topmarks.	
		*					46/01
4480	Long Cove Ledge Isolated Danger Buoy DLC West of Ledge					Black over red with two black spherical topmarks.	
	*						46/01
	Stockton Harbor						
4485	- <i>Entrance Shoal Lighted Gong Buoy 1</i> South of 23-foot spot.	44 25 06 N 68 52 24 W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
	*						46/01
4495	- Entrance Buoy 4 South of Squaw head	44 26 15 N 68 51 39 W				Red nun.	
	*	*					46/01
	Muscle Ridge Channel						
4575	South Breaker Bell Buoy 2SB	43 58 17 N 69 07 32 W				Red.	
		*					46/01
4645	Ash Island Rock Buoy 15 SE of rocks					Green can.	
	*						46/01
4650	Inner Grindstone Ledge Buoy 16 NW of 8 foot spot					Red nun.	
	*						46/01
4655	Ash Island Bell Buoy 17 SE of shoal					Green.	
	*						46/01
4665	Northwest Ledge Buoy 21 South of 4 foot spot					Green can.	
	*						46/01
4670	Grindstone Ledge Buoy 22 NW of 2 foot spot					Red nun.	
	*						46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4675	Sheep Island Shoals Buoy 23 South of shoals					Green can.	
	*						46/01
10795	Deer Island Light On south end of spit.	42 20 24 N 70 57 18 W	Al W R 10s	53	W 14 R 11	Red cylindrical tower; black cylindrical pier.	Obscured from 112° to 186° and from 198° to 222°. HORN: 1 blast ev 10s (1s bl). HORN: 1 blast ev 10s (1s bl).
							* 46/01
14930	- Buoy 5						Remove from list.
							* 46/01
	*Delete Heading and Note: *Great Pond <i>*Aids maintained from May 15 to Oct. 15.</i>						
15065	- Buoy 2						Remove from list.
							* 46/01
	*Add Heading: *Great Pond						
15070	- Buoy 3					Green can.	Private aid.
							46/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1545	- Wreck Lighted Buoy WR9	38 55 26 N 75 06 00 W	Q G		4	Green.	
		*					46/01
1550	- Lighted Bell Buoy 12		FI R 4s		5	Red.	Removed when endangered by ice.
					*		46/01
SMYRNA RIVER TO WILMINGTON (Chart 12311)							
Delaware River							
Liston Range							
<i>Buoys located 50 feet outside channel limits.</i>							
2445	- FRONT LIGHT	39 28 57 N 75 35 30 W	Iso W 6s	45		White skeleton tower with small white house.	Visible on range line only. Lighted throughout 24 hours.
		*					46/01
2580	- FRONT LIGHT	39 26 45 N 75 34 35 W	F R	22		On skeleton tower.	Visible on range line only. Lighted throughout 24 hours.
		*					46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2665	- LIGHT 4	39 33 10 N 75 31 42 W	FI R 2.5s	15	3	TR on multi-pile structure.	
		*			*		46/01
2670	- LIGHT 5	39 33 37 N 75 31 29 W	FI G 4s	15	3	SG on multi-pile structure.	
		*			*	*	46/01
2675	- LIGHT 6	39 33 35 N 75 31 27 W	FI R 4s	15	3	TR on multi-pile structure.	
		*			*		46/01
2680	- LIGHT 7	39 34 09 N 75 31 09 W	Q G	15	3	SG on multi-pile structure.	
		*					46/01
2685	- LIGHT 8	39 34 07 N 75 31 05 W	FI R 2.5s	15	3	TR on multi-pile structure.	
		*			*		46/01
2690	- LIGHT 9	39 34 14 N 75 30 59 W	Q G	15	3	SG on multi-pile structure.	
		*			*		46/01
2695	- LIGHT 10	39 34 11 N 75 30 56 W	FI R 2.5s	15	3	TR on multi-pile structure.	
		*			*		46/01
2705	- LIGHT 11	39 34 13 N 75 30 29 W	FI G 2.5s	15	3	SG on multi-pile structure.	
		*			*		46/01
2710	- LIGHT 12	39 34 08 N 75 30 31 W	Q R	15	3	TR on multi-pile structure.	
		*			*	*	46/01
2715	- LIGHT 14	39 34 16 N 75 29 53 W	FI R 4s	15	3	TR on multi-pile structure.	
		*			*	*	46/01
2880	- FRONT LIGHT	39 39 19 N 75 34 22 W	Iso R 2s	42		On black skeleton tower on small white house.	Visible on range line only. Lighted throughout 24 hours.
		*					46/01
3005	- RANGE FRONT LIGHT	39 43 22 N 75 31 57 W	Q G	20		KRW on skeleton tower.	Higher intensity on rangeline. Lighted throughout 24 hours.
		*					46/01
3663	- Channel Lighted Buoy 4		FI R 4s		3	Red.	Replaced by LIB of lower intensity from Dec. 15 to Mar. 15.
					*		46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3750	- UPPER RANGE FRONT LIGHT	40 03 16 N 74 58 18 W	Q R	24		KWR on skeleton tower.	Visible on range line only. Lighted throughout 24 hours.
		*					46/01
3875	- Channel Lighted Buoy 33		Q G		3	Green.	Replaced by can when endangered by ice.
					*		46/01
4010	- Channel Lighted Buoy 51	40 05 58 N 74 50 34 W	Q G		3	Green.	Replaced by can when endangered by ice.
		*			*		46/01
4035	- Channel Lighted Buoy 53	40 06 18 N 74 50 12 W	Q G		3	Green.	Replaced by can when endangered by ice.
					*		46/01
4135	- Channel Lighted Buoy 69		Q G		3	Green.	Replaced by can when endangered by ice.
					*		46/01
4160	- Channel Lighted Buoy 72	40 07 36 N 74 46 20 W	FI R 4s		3	Red.	Replaced by nun when endangered by ice.
		*			*		46/01
4280	DUCK ISLAND RANGE FRONT LIGHT	40 10 56 N 74 44 30 W	Q W	30		KRW on skeleton tower.	Visible all around; higher intensity on rangeline.
		*					46/01
8530	Tolchester Light	39 12 49 N 76 14 46 W	F W (R sector)	25	W 11 R 9	NR on pile.	Red from 033° to 040°. White from 040° to 045°. Obscured from 045° to 033°.
		*		*			46/01
Elizabeth River Southern Branch							
9955 36805	- LIGHT 2 105 feet outside channel limit.	36 47 39 N 76 17 50 W	FI R 2.5s	15	3	TR-TY on pile.	
	*	*					46/01
15605	- RANGE FRONT LIGHT	37 55 18 N 76 51 10 W	Q W	15		KWR on pile.	Visible all around; higher intensity on rangeline.
		*					46/01
15610	- RANGE REAR LIGHT 384 yards, 235° from front light.		Iso W 6s	30		KWR on dolphin.	Visible all around; higher intensity on rangeline.
	*						46/01
Rockhold Creek							
19395	- CHANNEL LIGHT 1	38 45 56 N 76 33 09 W	FI G 4s	15	3	SG on pile.	
		*		*	*		46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19410	- LIGHT 4	38 46 15 N 76 33 39 W	FI R 4s	15	3	TR on pile.	
		*		*			46/01
	*Add Heading: *Manatee Cove Marina Race Course						
*19687	Buoy 1					Green can.	Private aid
							46/01
*19687.1	Buoy 2					Red nun.	Private aid.
							46/01
*19687.2	Buoy 3					Green can.	Private aid.
							46/01
*19687.3	Buoy 4					Red nun.	Private aid.
							46/01
19762	NAVAL ANCHORAGE LIGHT A		FI Y 2.5s	15	5	NW on multi-pile structure.	
					*	*	46/01
	Whitehall Creek						
20065	- LIGHT 2W	38 59 13 N 76 26 17 W	FI R 4s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*		*			46/01
	Old Road Bay						
20495	- LIGHT 2		FI R 2.5s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15
							* 46/01
21345	- Lighted Buoy 7		Q G		3	Green.	
					*		46/01
23335	- Buoy 11					Green can.	Private aid.
	*					*	46/01
26265	- LIGHT 2		FI R 2.5s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*	*		46/01
26460	- CHANNEL LIGHT 13		FI G 4s	15	3	TR on pile.	Higher intensity beam up and down channel.
			*				46/01
*26871	GRATITUDE MARINA LIGHT A	39 08 24 N 76 15 42 W	F Y	15		White tripod.	Private aid.
							46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*26871.1	GRATITUDE MARINA LIGHT B		F Y	15		White tripod.	Private aid.
							46/01
*26872	-Buoy 6A					Red nun.	Private aid.
							46/01
*26873	-Buoy 8					Red nun.	Private aid.
							46/01
*26874	-Buoy 9					Green can.	Private aid.
							46/01
*26874.1	-Buoy 9A					Green can.	Private aid.
							46/01
*26876	-Buoy 11					Green can.	Private aid.
							46/01
	Fairlee Creek						
27405	- LIGHT 2F	39 16 15 N 76 12 31 W	FI (2) R 5s	15	3	TR on pile.	
		*				*	46/01
28375	- CHANNEL LIGHT 4		FI R 2.5s	15	3	TR on multi-pile structure.	
						*	* 46/01
28385	- CHANNEL LIGHT 7		FI G 4s	15	3	SG on pile.	Light equipment removed when endangered by ice.
					*	*	46/01
28390	ROANOKE ISLAND CUT THROUGH LIGHT 1	35 48 19 N 75 37 05 W	FI G 4s	15	3	SG on pile.	
		*			*		46/01
29045	- LIGHT 8		FI R 6s	15	3	TR on pile.	
				*	*		46/01
29050	- Daybeacon 8A	35 08 07 N 76 00 09 W				TR on pile.	
		*					46/01
29055	- LIGHT 9	35 08 18 N 76 00 19 W	FI G 4s	15	3	SG on pile.	
				*	*		46/01
29060	- LIGHT 10	35 08 35 N 76 00 20 W	FI R 4s	15	3	TR on pile.	Ra ref.
					*		46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *Penobscot Bay Approaches							
*29070.1	-Buoy 10B					Red nun.	46/01
*29070.2	-Buoy 10C					Red nun.	46/01
*29070.3	-Buoy 11					Green can.	46/01
*Add Heading: *Ocracoke Inlet Big Foot Slough Channel							
29071	-Warning Daybeacon NG					NW on pile worded. DANGER SHOAL.	
	*					*	46/01
29080	- LIGHT 13		FI G 2.5s	15	3	SG on multi-pile structure.	Maintained from Oct. 15 to Apr. 15. HORN: 1 blast ev 30s (3s bl).
					*	*	46/01
29085	- LIGHT 14BF		FI R 4s	15	3	TR on pile.	
				*	*		46/01
29385	- CHANNEL LIGHT 16		Q R	15	4	TR on pile.	Ra ref.
					*		46/01
29585 39045	- CHANNEL LIGHT 21		FI G 4s	15	3	SG-SY on pile.	
					*		46/01
30319	- Channel Lighted Buoy 3		FI G 4s		3	Green.	
					*		46/01
30355	- Channel Lighted Buoy 9		FI G 4s		3	Green.	
					*		46/01
30370	- Channel Lighted Bell Buoy 11		Q G		3	Green.	
					*		46/01
30395	- Channel Lighted Buoy 13		FI G 4s		3	Green.	
					*		46/01
30400	- Channel Lighted Buoy 15		FI G 2.5s		3	Green.	
					*		46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Cape Fear River							
30450	- Channel Lighted Buoy 16		Q R		3	Red.	
					*		46/01
NORFOLK TO ALBEMARLE SOUND (Chart 12206)							
Albemarle Sound							
Pasquotank River							
31390 37045	- ENTRANCE LIGHT PR On east part of shoal off point.	36 09 23 N 75 58 39 W	FI W 2.5s	23	11	NB on multi-pile structure.	
					*	*	46/01
Buxton Harbor							
32195	- APPROACH LIGHT 1	35 18 31 N 75 37 25 W	FI G 2.5s	15	5	SG on pile.	Light equipment removed when endangered by ice.
		*		*	*		46/01
32420	OUTFALL CANAL ENTRANCE LIGHT	35 21 22 N 76 06 23 W	Mo (A) W	15	8	MR on pile.	Higher intensity beam toward Bluff Shoal Light.
		*			*		46/01
32425	BLUFF POINT SHOAL LIGHT	35 19 20 N 76 07 13 W	FI W 4s	15	5	NB on multi-pile structure.	
		*				*	46/01
32440	JUNIPER BAY APPROACH LIGHT 1	35 17 32 N 76 13 49 W	FI G 4s	15	4	SG on multi-pile structure.	
		*		*		*	46/01
32455	Lower Middle Ground Obstruction Daybeacon NE	35 14 11 N 76 13 34 W				NW on pile worded DANGER SUBMERGED WRECK.	
		*					46/01
32465	Lower Middle Ground Obstruction Daybeacon SW	35 14 10 N 76 13 39 W				NW on pile worded DANGER SUBMERGED WRECK.	
		*					46/01
32470	LOWER MIDDLE GROUND LIGHT LM	35 14 01 N 76 13 28 W	FI W 2.5s	40	6	NB on skeleton tower on pile structure.	Ra ref.
		*					46/01
32480	UPPER MIDDLE GROUND LIGHT UM	35 16 39 N 76 20 53 W	FI W 6s	15	6	NB on multi-pile structure.	Ra ref.
		*				*	46/01
32955	- LIGHT 6		FI R 4s	15	3	TR on pile.	
				*	*		46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33315	- CHANNEL LIGHT 9 25 feet outside channel limit.	35 27 42 N 76 57 34 W	FI G 2.5s	15	3	SG on pile.	
		*			*		46/01
	West Bay						
33480	CEDAR ISLAND FERRY SLIP BREAKWATER LIGHT 3	35 01 11 N 76 18 41 W	FI G 4s	15	3	SG on pile.	
		*					46/01
33495	- LIGHT 2WB	35 02 53 N 76 21 58 W	FI R 2.5s	15	3	TR on multi-pile structure.	
		*			*		46/01
33520	- LIGHT 5 Marks shoal.		FI G 2.5s	15	3	SG on pile.	
	*				*		46/01
33570	LONG BAY LIGHT 4		FI R 6s	15	3	TR on pile.	
					*		46/01
34127	- Obstruction Daybeacon						Remove from list.
							*
							46/01
35475	- LIGHT 118						Remove from list.
							*
							46/01
	ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)						
	Albemarle Sound						
37045 31390	PASQUOTANK RIVER ENTRANCE LIGHT PR On east part of shoal off point.	36 09 23 N 75 58 39 W	FI W 2.5s	23	11	NB on multi-pile structure.	
					*	*	46/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.